



Standard Mold Accessories  
Custom Mold Components Manufacture

# CATALOGO

# 目录

## Standard mold accessories

### COMPANY PROFILE

#### 公司简介



### FACILITIES

#### 生产车间



### CORE PIN

#### 模具芯子



### FORMED EJECTOR PIN

#### 非标顶针加工 尾部放电成型



### CORE INSERT

#### 模具镶件



### NON-STANDARD BLOCK

#### 垫块、铲基 压条、耐磨板



# 标准件目录






























## Standard mold accessories

<p><b>DATE STAMPS</b> SERIES™ 日期章系列</p>	<p>整体式日期章 DATE STAMPS</p>  <p>P 022 A02</p>	<p>分型面更换型日期章 DATE STAMPS</p>  <p>P 023 A03</p>	<p>高度可调整型日期章 DATE STAMPS</p>  <p>P 024 A04</p>	<p>标准式底部换芯日期章 DATE STAMPS</p>  <p>P 025 A05</p>	
<p>C式日期章 DATE STAMPS</p>  <p>P 026 A06</p>	<p>H式标准日期章 DATE STAMPS</p>  <p>P 027 A07</p>	<p>台阶可更换式日期章 DATE STAMPS</p>  <p>P 028 A08</p>	<p>O式日期章 DATE STAMPS</p>  <p>P 029 A09</p>	<p>微型日期章 DATE STAMPS</p>  <p>P 030 A10</p>	
<p>整体式三瓣日期章 DATE STAMPS</p>  <p>P 031 A11/A11L</p>	<p>O式可换芯三瓣日期章 DATE STAMPS</p>  <p>P 032 A12</p>	<p>O式可换芯螺纹日期章 DATE STAMPS</p>  <p>P 033 A13</p>	<p>F式可换芯日期章 DATE STAMPS</p>  <p>P 034 A14</p>	<p>环型日期章 DATE STAMPS</p>  <p>P 035 A16</p>	
<p>组合型日期章 DATE STAMPS</p>  <p>P 036 A17</p>	<p>镀铬日期章 DATE STAMPS</p>  <p>P 037 A18</p>	<p>螺纹型压铸模日期章 DATE STAMPS</p>  <p>P 038 A19/A22</p>	<p>压铸模日期章 DATE STAMPS</p>  <p>P 039 A20/A21</p>	<p>法式日期章 / 凸字章 DATE STAMPS / EMBOSSED</p>  <p>P 040 A23/A24</p>	
<p>凸字章 EMBOSSED</p>  <p>P 040 A15</p>	<p><b>AIR EJECTOR &amp; GAS VENT</b> SERIES™ 气质系列</p>		<p>气顶 AIR EJECTOR</p>  <p>P 042 AJV</p>	<p>气顶 AIR EJECTOR</p>  <p>P 043 VAD</p>	<p>气顶 AIR EJECTOR</p>  <p>P 044 VA/VAN</p>
<p>气顶 AIR EJECTOR</p>  <p>P 045 Z491/Z4911</p>	<p>气顶 AIR EJECTOR</p>  <p>P 045 PPV</p>	<p>气顶 AIR EJECTOR</p>  <p>P 046 PQ</p>	<p>气顶 AIR EJECTOR</p>  <p>P 046 VD</p>	<p>氮气嘴 AIR SPIGOT</p>  <p>P 047 SAS01</p>	



# 标准件目录



## Standard mold accessories

限位夹 SLIDE RETAINER  P. 064 SZ5140/2	限位夹 SLIDE RETAINER  P. 064 SZ5140/3	限位夹 SLIDE RETAINER  P. 064 SZ5140/4	限位夹 SLIDE RETAINER  P. 065 SLLK	限位夹 SLIDE RETAINER  P. 066 SRRM
限位夹 SLIDE RETAINER  P. 067 SZ5135	限位夹 SLIDE RETAINER  P. 067 SZ189	定位珠 BALL PLUNGERS  P. 068 SZ36	定位珠 BALL PLUNGERS  P. 068 SZ37	定位珠 BALL PLUNGERS  P. 069 SZ372
定位珠 BALL PLUNGERS  P. 069 SZ374	安全扣 AUTOMATIC RETAINER  P. 070 SZ73	安全扣 AUTOMATIC RETAINER  P. 070 SOPP	<b>LATCH LOCK COMPONENT SERIES</b> 锁模组件系列	限位扣 PARTING LOCK  P. 072 PO
限位扣专用衬套 BUSHING FOR PARTING LOCK  P. 072 PLB5	限位扣 LATCH LOCK  P. 073 SE	限位扣 LATCH LOCK  P. 073 SL	限位扣 LATCH LOCK  P. 074 BC	限位扣 LATCH LOCK  P. 074 SLPL
限位扣 LATCH LOCK  P. 075 SMPLK	强制限位装置 FORCED RETURN SET  P. 076 FRET	限位扣 LATCH LOCK  P. 077 SBL	限位扣 LATCH LOCK  P. 077 SLD	限位扣 LATCH LOCK  P. 078 TYPE
限位扣 LATCH LOCK  P. 079 SMLK	限位扣 LATCH LOCK  P. 080 SRPL-P	限位扣 LATCH LOCK  P. 081 SZ170	限位扣 LATCH LOCK  P. 082 SZ171	限位扣 LATCH LOCK  P. 083 SZ174



# 标准件目录

# Standard mold accessories

<p>二次顶出 TWO-STAGE EJECTORS</p>  <p>P 100 SZ1091</p>	<p>二次顶出 TWO-STAGE EJECTORS</p>  <p>P 110 SZ1695</p>	<p>二次顶出 TWO-STAGE EJECTORS</p>  <p>P 110 SZ1697</p>	<p>模板加速顶出器 PLATE ACCELERATOR</p>  <p>P 111 SZ141</p>	<p>模板加速顶出器 PLATE ACCELERATOR</p>  <p>P 112 SEP</p>
<p>模板加速顶出器 PLATE ACCELERATOR</p>  <p>P 113 SAE</p>	<p>模板加速顶出器 PLATE ACCELERATOR</p>  <p>P 114 SAEP / SAEB</p>	<p>弹弓顶针 SPRUNG CORE</p>  <p>P 115 SPW</p>	<p>弹弓顶针 SPRUNG CORE</p>  <p>P 116 SE3202</p>	<p>弹弓顶针 SPRUNG CORE</p>  <p>P 117 SEE</p>
<p>弹弓顶针 SPRUNG CORE</p>  <p>P 118 SMD</p>	<p>弹弓顶针 SPRUNG CORE</p>  <p>P 119 SPF</p>	<p>圆位机构 ROUND LATCH LOCKS</p>  <p>P 120 SZ163</p>	<p>圆位机构 ROUND LATCH LOCKS</p>  <p>P 120 SZ164</p>	<p><b>LOCATING COMPONENT SERIES</b> 定位组件系列</p>
<p>定位柱 ROUND LOCATING UNITS</p>  <p>P 122 TPN</p>	<p>定位柱 ROUND LOCATING UNITS</p>  <p>P 123 TPNF</p>	<p>定位柱 ROUND LOCATING UNITS</p>  <p>P 124 Z05</p>	<p>定位柱 ROUND LOCATING UNITS</p>  <p>P 124 Z051</p>	<p>定位柱 ROUND LOCATING UNITS</p>  <p>P 125 GMT</p>
<p>定位销 DOWEL PIN</p>  <p>P 126 MS</p>	<p>定位销 DOWEL PIN</p>  <p>P 126 MSTP</p>	<p>定位块 SQUARE INTERLOCKS</p>  <p>P 127 PL</p>	<p>定位块 SQUARE INTERLOCKS</p>  <p>P 128 TLK</p>	<p>定位块 SQUARE INTERLOCKS</p>  <p>P 128 KY</p>
<p>定位块 SQUARE INTERLOCKS</p>  <p>P 130 Z080</p>	<p>定位块 SQUARE INTERLOCKS</p>  <p>P 130 Z08</p>	<p>定位块 SQUARE INTERLOCKS</p>  <p>P 131 Z46</p>	<p>定位块 SQUARE INTERLOCKS</p>  <p>P 132 Z48</p>	<p>定位块 SQUARE INTERLOCKS</p>  <p>P 133 Z50</p>

定位块 SQUARE INTERLOCKS 	定位块 SQUARE INTERLOCKS 	定位块 SQUARE INTERLOCKS 	十字锁销 X-SERIES LOCKS 	定位块 SQUARE INTERLOCKS 
P 134 Z07 / Z17	P 135 YLM	P 136 SL / SLM	P 136 PLF / XSI	P 137 TBSF

定位块 SQUARE INTERLOCKS 	定位块 SQUARE INTERLOCKS 	定位块 SQUARE INTERLOCKS 	导柱 GUIDE PIN 	导柱 GUIDE PIN 
P 138 TBS	P 139 TSSB / VTSSB	P 140 VTTSB / TTSB	P 141 GP	P 141 GPH

导套 GUIDE BUSH 	导套 GUIDE BUSH 	导套 GUIDE BUSH 	导套 GUIDE BUSH 	导套 GUIDE BUSH 
P 142 GBA	P 142 GBB	P 142 GBC	P 143 GBE	P 144 GBF

导套 GUIDE BUSH 	斜导柱 ANGLE GUIDE PIN 	<b>EJECTOR PIN &amp; SHOULDER PUNCHES SERIES</b> 顶针、冲头系列	顶针 EJECTOR PIN 	顶针 EJECTOR PIN 
P 144 GBG	P 145 AP / APS		P 148 EPT	P 149 EPG

顶针 EJECTOR PIN 	台阶顶针 STEP PIN 	台阶扁顶针 FLAT EJECTOR PIN 	弯顶针 EJECTOR PIN 	<b>COOLING SERIES</b> 冷却系列
P 150 EPN	P 151 SEP	P 152 FEP	P 153 ESSESS	

快速接头 QUICK RELEASE CONNECTOR PLUGS 	快速接头 QUICK RELEASE CONNECTOR PLUGS 	快速接头 QUICK RELEASE CONNECTOR PLUGS 	快速接头 QUICK RELEASE CONNECTOR PLUGS 	快速接头 QUICK RELEASE CONNECTOR PLUGS 
P 156 Z80 / -	P 156 Z80 / -45°	P 157 Z80 / -90°	P 157 PTX	P 157 M-POC



# 标准件目录

# Standard mold accessories

<p>快速接头 QUICK RELEASE CONNECTOR PLUGS</p>  <p>P. 158 FSVK</p>	<p>快速接头 QUICK RELEASE CONNECTOR PLUGS</p>  <p>P. 159 SVK</p>	<p>快速接头 QUICK RELEASE CONNECTOR PLUGS</p>  <p>P. 160 SK</p>	<p>水咀 NIPPLES</p>  <p>P. 161 Z81/-/90°</p>	<p>水咀 NIPPLES</p>  <p>P. 161 Z811/-</p>
<p>水咀 NIPPLES</p>  <p>P. 162 Z825 / - -</p>	<p>水咀 NIPPLES</p>  <p>P. 162 Z83 / - -</p>	<p>冷却水用接头 COOLING WATER CONNECTOR</p>  <p>P. 163 JTW / JTW5</p>	<p>冷却水用接头 COOLING WATER CONNECTOR</p>  <p>P. 163 HX-JTW</p>	<p>冷却水用接头 COOLING WATER CONNECTOR</p>  <p>P. 164 JTW6</p>
<p>冷却水用接头 COOLING WATER CONNECTOR</p>  <p>P. 164 WCP / WCP5</p>	<p>隔水片 STRAIGHT BRASS PLUG BAFFLES</p>  <p>P. 165 CPF</p>	<p>隔水片 STRAIGHT BRASS PLUG BAFFLES</p>  <p>P. 165 W5039</p>	<p>隔水片 STRAIGHT BRASS PLUG BAFFLES</p>  <p>P. 166 WWRC</p>	<p>螺旋铝质芯 ALUMINUM SINGLE HELIX WATER CORES</p>  <p>P. 167 ALC</p>
<p>螺旋铝质芯 ALUMINUM SINGLE HELIX WATER CORES</p>  <p>P. 167 ALD</p>	<p>O形圈 O-RING</p>  <p>P. 168 SOR</p>	<p>冷却水分流器 COOLING WATER DIVERTER</p>  <p>CORE 10 CORE 4</p> <p>P. 169 CWD</p>	<p>冷却水流量计 FLOW METERS FOR MOLD</p>  <p>内径12mm 内径16mm</p> <p>P. 170 FLAF / FLAM</p>	<p>冷却水流量计 FLOW METERS FOR MOLO</p>  <p>内径12mm 内径16mm</p> <p>P. 170 FLBF / FLBM</p>
<p>冷却水接头 COOLING WATER COUPLING</p>  <p>P. 171 JWR / JWRL</p>	<p>冷却水接头 COOLING WATER COUPLING</p>  <p>P. 172 JWRC</p>	<p>冷却水针 COOLING WATER NEEDLE</p>  <p>P. 173 E210</p>	<p>冷却水针 COOLING WATER NEEDLE</p>  <p>P. 173 E212</p>	<p>冷却水针 COOLING WATER NEEDLE</p>  <p>P. 174 Z562</p>
<p>冷却水针 COOLING WATER NEEDLE</p>  <p>P. 174 CPC</p>	<p>冷却水针 COOLING WATER NEEDLE</p>  <p>P. 175 WCPK</p>	<p>冷却水针 COOLING WATER NEEDLE</p>  <p>P. 175 WCPF</p>	<p>冷却水针 COOLING WATER NEEDLE</p>  <p>P. 176 WCPFT</p>	<p>冷却水针 COOLING WATER NEEDLE</p>  <p>P. 176 WCP5</p>

冷却水针 COOLING WATER NEEDLE  P. 177 WCPN	冷却水针 COOLING WATER NEEDLE  P. 177 WCSP	冷却水针 COOLING WATER NEEDLE  P. 178 WCPM	冷却水针 COOLING WATER NEEDLE  P. 178 WCPPT	冷却棒 HEAT PIPES  P. 179 HTK
---	--	--	---	--

止水栓 COOLING CIRCUIT PLUGS  P. 181 JWP	止水栓 COOLING CIRCUIT PLUGS  P. 182 CCP	止水栓 COOLING CIRCUIT PLUGS  P. 182 Z94Z	止付螺栓 SHOULDER BOLT  P. 183 Z94	止付螺栓 SHOULDER BOLT  P. 183 Z94D
--	---	--	--	---

止付螺栓 SHOULDER BOLT  P. 183 BP	SPRUE BUSHING, LOCATING RINGS SERIES 浇口套、定位环系列	浇口套 SPRUE BUSHING  P. 186 SBA	浇口套 SPRUE BUSHING  P. 187 SBB	浇口套 SPRUE BUSHING  P. 187 SBC
---	---	---	---	---

浇口套 SPRUE BUSHING  P. 188 Z512	定位环 LOCATING RING  P. 189 LRA	定位环 LOCATING RING  P. 189 LRB	定位环 LOCATING RING  P. 190 LRC	定位环 LOCATING RING  P. 190 LRD
---	--	---	---	---

螺栓拉杆 PULLER BOLTS  P. 191 KSG	牛角式进浇口零件 INSETS OF INLET GATE OF HORN WIRES  P. 192 Z1050	牛角式进浇口零件 INSETS OF INLET GATE OF HORN WIRES  P. 192 Z1060	牛角式进浇口零件 INSETS OF INLET GATE OF HORN WIRES  P. 193 MTGC	牛角式进浇口零件 INSETS OF INLET GATE OF HORN WIRES  P. 193 MSGC
--	--	--	---	---

止料螺丝 (物料钩) STOP-FEEDING SCREW (STOPPING RUNNER)  P. 194 SR	止料螺丝 (物料钩) STOP-FEEDING SCREW (STOPPING RUNNER)  P. 194 SRLP	料头弹出器 RUNNER EJECTOR SETS  P. 195 RES	NITROGEN GAS SPRING SERIES 氮气弹簧系列	氮气弹簧 NITROGEN GAS SPRING  P. 201 TC170 (GSV170)
--	---	---	--	---

# 标准件目录

## Standard mold accessories

<p>氮气弹簧 NITROGEN GAS SPRING</p>  <p>P. 201 TC320 (GSV320)</p>	<p>氮气弹簧 NITROGEN GAS SPRING</p>  <p>P. 202 TC350 (GSV350)</p>	<p>氮气弹簧 NITROGEN GAS SPRING</p>  <p>P. 202 TC500 (GSV500)</p>	<p>氮气弹簧 NITROGEN GAS SPRING</p>  <p>P. 203 TC1000 (GSV1000)</p>	<p>氮气弹簧 NITROGEN GAS SPRING</p>  <p>P. 203 TC1200 (GSV1200)</p>
<p>氮气弹簧 NITROGEN GAS SPRING</p>  <p>P. 204 TC1500 (GSV1500)</p>	<p>氮气弹簧 NITROGEN GAS SPRING</p>  <p>P. 204 TC2400 (GSV2400)</p>	<p>氮气弹簧 NITROGEN GAS SPRING</p>  <p>P. 205 TC4200 (GSV4200)</p>	<p>氮气弹簧 NITROGEN GAS SPRING</p>  <p>P. 205 TC6600 (GSV6600)</p>	<p>氮气弹簧 NITROGEN GAS SPRING</p>  <p>P. 206 TC9500 (GSV9500)</p>
<p>氮气弹簧 NITROGEN GAS SPRING</p>  <p>P. 206 TC20000 (GSV20000)</p>	<p><b>BALL BEARING GUIDE POST SETS FOR DIE SET</b> SERIES --- 模架用钢珠导柱组件</p>	<p>模架用钢珠导柱组件 BALL BEARING GUIDE POST SETS FOR DIESET</p>  <p>P. 208 GBH / GBL / GBP</p>	<p>模架用钢珠导柱组件/密封型 BALL BEARING GUIDE POST SETS FOR DIESET / REMOVABLE TYPE</p>  <p>P. 209 GBRH / GBLH / GBPH</p>	<p>模架用钢珠导柱组件/压入型 BALL BEARING GUIDE POST SETS FOR DIESET / PRESS-FIT POST</p>  <p>P. 211 FBRH / GBLH / GBPH</p>
<p>模架用钢珠导柱组件 BALL BEARING GUIDE POST SETS FOR DIESET</p>  <p>P. 213 MY</p>	<p>模架用钢珠导柱组件 BALL BEARING GUIDE POST SETS FOR DIESET</p>  <p>P. 213 MY2P</p>	<p>模架用钢珠导柱组件 BALL BEARING GUIDE POST SETS FOR DIESET</p>  <p>P. 213 MY2</p>	<p>模架用钢珠导柱组件 BALL BEARING GUIDE POST SETS FOR DIESET</p>  <p>P. 213 MYP</p>	<p>模架用钢珠导柱组件 BALL BEARING GUIDE POST SETS FOR DIESET</p>  <p>P. 215 MYA</p>
<p>模架用钢珠导柱组件 BALL BEARING GUIDE POST SETS FOR DIESET</p>  <p>P. 215 MYAP</p>	<p>模架用钢珠导柱组件 BALL BEARING GUIDE POST SETS FOR DIESET</p>  <p>P. 215 MYJ</p>	<p>模架用钢珠导柱组件 BALL BEARING GUIDE POST SETS FOR DIESET</p>  <p>P. 215 MYJP</p>	<p>模架用钢珠导柱组件 BALL BEARING GUIDE POST SETS FOR DIESET</p>  <p>P. 217 MYAK</p>	<p>模架用钢珠导柱组件 BALL BEARING GUIDE POST SETS FOR DIESET</p>  <p>P. 217 MYKP</p>
<p>模架用钢珠导柱组件 BALL BEARING GUIDE POST SETS FOR DIESET</p>  <p>P. 217 MYJK</p>	<p>模架用钢珠导柱组件 BALL BEARING GUIDE POST SETS FOR DIESET</p>  <p>P. 217 MYKP</p>	<p><b>OTHER COMPONENT</b> SERIES --- 其它组件系列</p>	<p>模具温度计 MOLD THERMOMETER</p>  <p>P. 220 MTA</p>	<p>模具温度计 MOLD THERMOMETER</p>  <p>P. 220 MTB</p>

<p>模具温度计 MOLD THERMOMETER</p>  <p>P-220 MTC</p>	<p>计数器 MOLD COUNTER</p>  <p>P-221 CVPL</p>	<p>计数器 MOLD COUNTER</p>  <p>P-221 CVR</p>	<p>智能型电子计数器 TAPERED INTERLOCKS</p>  <p>P-222 CEC</p>	<p>垫片 GASKET</p>  <p>P-222 SRA</p>
---	---	--	---	---

<p>隔热板 INSULATION BOARD</p>  <p>P-223 IB</p>	<p>精密测薄片 PRECISE SHIMES</p>  <p>P-224 PS</p>	<p>限位开关 LIMIT SWITCHES</p>  <p>P-225 Z7600</p>	<p>限位开关 LIMIT SWITCHES</p>  <p>P-225 TSW2220HT291</p>	<p>限位开关 LIMIT SWITCHES</p>  <p>P-226 V-1C25</p>
--	---	---	--	--

<p>限位开关 LIMIT SWITCHES</p>  <p>P-226 Z-15</p>	<p>油石 FIBER OILSTONES</p>  <p>P-227 FOS</p>	<p>钻石膏 DIAMOND COMPOUND</p>  <p>P-227 DC</p>	<p>模具弹簧 MOLD SPRING</p>  <p>P-228 WS</p>	<p>模具弹簧 MOLD SPRING</p>  <p>P-229 TF</p>
---	--	---	---	---

<p>模具弹簧 MOLD SPRING</p>  <p>P-230 TL</p>	<p>模具弹簧 MOLD SPRING</p>  <p>P-231 TM</p>	<p>模具弹簧 MOLD SPRING</p>  <p>P-232 TH</p>	<p>模具弹簧 MOLD SPRING</p>  <p>P-233 TB</p>	<p>模具弹簧 MOLD SPRING</p>  <p>P-234 TR</p>
--	---	---	---	---

<p>模具弹簧 MOLD SPRING</p>  <p>P-234 TY</p>	<p>模具弹簧 MOLD SPRING</p>  <p>P-235 TR</p>
--	---

# CORE PIN

## 各类模具芯子



模具型芯包括各种医疗模具芯子，化妆品芯子，各类笔模芯子等，对精密度，同心度，真圆度，粗糙度都有极高的要求，不仅如此，在型芯的材料选择，产品设计上都有着特殊的要求。我们的产品可以达到直径公差 $\pm 0.005\text{mm}$ 、同心度 $0.002\text{mm}$ 、真圆度 $0.003\text{mm}$ 、表面粗糙度 $Ra0.04\ \mu$ 。更多建议和息敬请与我们联系。

Mold core pin includes all kinds of medical mold core pin, cosmetic core pin, all kinds of pen mold core pin, etc., have high requirements for precision, concentricity, roundness, not only that, in the core pin material selection, product design have special requirements. Our products can reach diameter tolerance  $\pm 0.005\text{mm}$ , concentricity  $0.002\text{mm}$ , true roundness  $0.003\text{mm}$ , surface roughness  $Ra0.04\ \mu$ . For more advice and information please contact us.



# FORMED EJECTOR PIN

## 顶针非标加工

专注于各类顶针的  
非标定制，顶针头部放电成型

Focus on all kinds of Ejector pin  
non-standard customization,  
Ejector pin EDM processing



● 非标件凭图纸报价

Non-standard parts are quoted according to drawings



# MOLD CORE INSERT

## 模具镶件

模具镶件专门指的是用于镶嵌在模具中的不规则模具配件。是单独的用于成型胶位的模具配件。模具由多个工件组成之时，除了主体的钢料外的镶嵌进去的零件就是镶件了。镶件可以是方形、圆形、片型，和所有的模具配件一样，对精密度的要求也非常高。

Mold core insert specifically refers to irregular mold parts used for embedding in the mold. It is a separate mold part used for forming the glue position. When a mold is made up of multiple parts, core inserts are the parts that are inserted in addition to the steel in the body. Core Inserts can be square, round, or slice, and, like all die parts, require a high degree of precision.



### ● 非标件凭图纸报价

Non-standard parts are quoted according to drawings

镶件的种类：镶针、镶块、镶柱、镶圈等  
材质：SKD61、SKH51、ASP23、SKD11等  
硬度：50HRC以上  
标准精度： $\pm 0.01\text{mm}$

Types of core insert: core pin, insert block, insert cylinder, insert ring, etc  
Material: SKD61, SKH51, ASP23, SKD11, etc  
Hardness: 50HRC  
Standard accuracy:  $\pm 0.01\text{mm}$

# NON-STANDARD BLOCK

垫块 / 铲基 / 压条



## ● 非标件凭图纸报价

Non-standard parts are quoted according to drawings

各种非标准滑块，垫块，铲机，压条，耐磨块等产品的来图定制加工

All kinds of non-standard slide block, pad block, wear plate and other products customized processing

